

# LT-6320

## TOUCH SCREEN

# AUTOMATIC

# KARL FISCHER

## COULOMETRIC METHOD



### PRODUCT FEATURES

- ✓ 7 Inches colored touch screen
- ✓ Direct result in PPM, % and mg H<sub>2</sub>O on single display screen
- ✓ Setup data storage facility
- ✓ Inbuilt printer facility

### ACCESSORIES

- ✓ Cathode chamber drying
- ✓ Anode chamber drying
- ✓ Detection electrode
- ✓ Titration pond (anode chamber)
- ✓ Sample inlet
- ✓ Magnet Stirrer bit
- ✓ Power switch code
- ✓ 5  $\mu$ l syringe
- ✓ 50  $\mu$ l syringe
- ✓ Silica crystal



### TECHNICAL SPECIFICATIONS

Testing scope	0ug-200mg
Sensitivity	0.1ug
Precision	5ug-100ug $\pm$ 3ug above 100ug 3%
Specimen form	solid, liquid and gas
Display	Color LCD monitor
Controlling	Touch screen
Data storage	1000 testing results can be stored
Status indicator	dynamic curve, text display
Agitation speed control	sliding touch control panel
Duration	10 years with power down
Printer	Thermal printer
Power supply	AC110-220V $\pm$ 11V 50160Fiz $\pm$ 2.5Hz
Power	$\leq$ 50VA
Environment temperature	5°C - 40°C
Environment humidity	$\leq$ 85%RH
Dimension	330mm X 240mm X 180mm
Weight	10Kg (approx)